



FIG. 1



**FIG. 2**




**FIG. 3**

FIG. 4



**FIG. 5**


**FIG. 6**

FIG. 7




FIG. 8

801

802

?

X

General Details Page Setup Finishing Paper Source Quality Configuration

Paper Source Options :

2 - Cassette Feeding Unit

Output Options :

Multi-Tray 12 w/stapler

Extended Memory :

0 MB

☐ Envelope Unit

☒ Duplexing Unit

☐ Face-Down Output Unit

Spooling at Host :

Auto

Form to Tray Assignment...

Select Device...

Get Device Status

OK Cancel Apply Help



FIG. 9




FIG. 10




FIG. 11

Select Device

?

X

Current Device

Device Name : 200-216

Product Name : iR210PCL

IP Address : 172.20.54.236

Protocol :

☒ TCP/IP

☐ IPX/SPX

☐ Manual Selection

Device Name	Product Name	IP Address
200-216	iR210PCL	172.20.54.236

Search

OK

Cancel

Apply

Help

FIG. 12

Form to Tray Assignment

Paper Source :	Paper Size ::	Paper Icon :
Stack Bypass	A4	
Drawer1	A4	
Drawer2	A4	FAX


1201

Paper Source : Drawer2    Paper Size : A4    ->    ☒ Rotate    1202




Paper Icon :


1203    1204

OK    Cancel    Help


**FIG. 13**

**FIG. 14**

Binding Location :	
	Long Edge[Left] ▼
	Long Edge[Left]
	Short Edge[Top]

**FIG. 15**

**FIG. 16A**



**FIG. 16B**

